P.09/10

## formaldehyde soln. 0.5; zirconiumpyrithion 1.5; polyethylent balance being water. An acid or base may be added to adjust fatty acid diethanol amide (Comperlan KD;RTM) 1.0; proteir hydrolysate (WSPX; RTM) 0.1; plant extract (Extrapon 5 imine (mol. wt. 1200) 3.0; EDTA 2.5; perfume oil 0.3; the lauryl ether sulphate (Texapon EVR; RTM) 25,0; sodium lauryl ether sulphate (Texapon N40; RTM ) 20,0; coconut EXAMPLE Anti - candruff shampoo consists of (in wt.%) : sodium special, RTM) 0.3; plant extract (Arkin; RTM) 1.0; 37% FINT PUBLICATIONS I the pH to 6.0 - 7.5. (48818V). 20 wt.% (e.g EDTA) D8-B3 . 5 wt.%, and (C) in an amt. of 0.5 is used in an amt, of 0.5 - 20 wt,% (on the total compen). (A) HENK 20.12.72 • DT 2262:375 Anti-dandruff hair-treatment campin - conig. tinc-or zircanium-pyrithian water-solubikted by cembination or amine or polyalkylenoimine with a Hair-treatment compen, exerting anti-dandruff effect has a (Bi is pref. a polyethyleneimine of m. wt. 600- 60,000; it it dissolves in aq. solns having a pH of 6.0 - 7.5 (as in the case of most shampoos) only in the presence of (B) and having a CaCOs. binding capacity larger imine; and (C) a complex - forming cpd. Ci. The combination is highly effective against dandruff. g (according to the Hampshire test); the combination of (A), (B) and (C) dissolving to give a clear B) an aliphatic amine or polyalkylene pH of 6.0 - 7.5 and contains a combination of (A) a cpd. (in which M is Zn or Zr ); 20 12 72-DF-262375 127 96.74) A614 07:06 (613) (13 (616) is used in an amt. of 0,1 having the formula [1] complex forming cpd than 230 mg per HENKEL & CIE GMBH ADVANTAGE ~-× | | | | | | | DETAILS

## BEST AVAILABLE COPY

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

·
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.